

HZJF+9009

手持式多功能 放电测试仪

**产
品
说
明
书**

武汉赫兹电力设备有 公司

HZJF+9009

赫兹电力
HERTZ POWER

—

—

—

一、 用标准

GB/T 7354-2003

GB 4793.1-2007

-2f

赫兹电力
HERTZ POWER





3.1



- 1.
2. F1~F5:
- 3.
4. MEAS:
5. AUTORANGE: AUTO
6. MENU OFF:

7. MENU:
8. AUTO:
9. RUN/STOP: /
- 10.
11. TRIG:
12. LEVEL:
13. TIME/DIV:
14. POSITION:
15. HORI:
16. VERTICAL:
17. VOLTS:
- 18.
19. REF: REF
20. MATH: MATH
21. CH2: CH2
22. CH1: CH1
23. UTILITY:
24. SAVE RECALL: /
25. RECORDER:
26. SCOPE/DMM:
27. CURSOR:

3.2

7

1



2




3.3

130

2

3

3.4



1.

T



S

2.



USB



U



USB

3.5

“ MENU ”



F1-F5



3.6

	“ CH1 ”		“ CH2 ”		
CH1	1	“ ”	1		
CH2	2	“ ”	2		
	1	2		CH1	1 CH2 2



2 MENU “ MENU ”



1 F1



“ TEV ”



“ USS ”

“ UHF ” UHF

“ CT ”

1 2 “ MENU ” CH1 CH2 CH1 CH2 1

2 CH1 CH2 CH1 CH2 1 2

2 “ ” F2



” ” F1

F1



mv dB dBmW dBuV dBmV

“ ” F2

F2



F1



3.7

“ TRIG ”

“ ”

F4



“ ”

“ ”

“ ”

“ ” “ ”

“ ” “ ” “ ”

“ Single ”


“ continuous ”



四、测 程序

4.1 TEV

1 TEV
BNC-SMA BNC CH1 BNC SMA TE
V “RF-OUT” SMA




2

CH1 1 “ MENU ” F1
“ ” TEV F2 “ ” “ ” TEV



3


“ AUTORANGE ”




AUTORANGE

1

TEV





4

5

TEV

TEV

TEV

TEV

10dB

20dB

6

U

" SAVE/RECALL "
/
" "
F5

U
U

7

" AUTORANGE "
" MENU OFF "




AUTORANGE

4.2

1

BNC-BNC
BNC

CH1 BNC



2

CH1
1
" MENU "
F1

" "
HFCT F2
" " " "




3

“AUTORANGE”



AUTORANGE

1



4

U

" SAVE/RECALL " / " " F5
 U U

5

" AUTORANGE "
 " MENU OFF "



AUTORANGE

4.3

GIS

1

BNC-BNC BNC CH1 BNC BNC
 BNC



GIS





2

CH1

1

“ MENU ”

F1

“

”

USS

F2

“

”

“

”



3

“ AUTORANGE ”



AUTORANGE

1



4

USS

5

U

" SAVE/RECALL "

/

"

"

F5

U

U

6

" AUTORANGE "

" MENU OFF "

225

18

027-83267669



AUTORANGE

4.4

GIS

1

BNC-SMA


BNC

CH1

BNC

SMA

“ OUT +12V ”



2

CH1

1

“ MENU ”

F1

“

”

UHF

F2

“

”

“

”



赫兹电力
HERTZ POWER


2

CH11“ MENU ”

F1“ ”TEVF2“ ”“ ”TEV

CH22“ MENU ”F1“ ”

”USSF2“ ”“ ”



3

“ AUTORANGE ”

AUTORANGE

AUTORANGE

1TEV2

CH1CH1CH2CH2

45.15.2

5

U

” SAVE/RECALL ” / “ ” F5

U

U

6

“AUTORANGE”

“MENU OFF”



AUTORANGE 关

五、仪器技术指标

5.1

GIS

5.2

≤ 3000m

-20 60

≤ 95%

5.3

5.3.1

1

TEV

0 60dBmV

1dB

± 1dB

5~70MHz

/

655

3

57dB

2

10kHz 30MHz

50Ω

: 10pC

3

-7dB μ V 68 dB μ V

1dB

± 1dB

-65dB (0dB = 1volt / μ bar SPL)

20 50kHz

50mm



“

”

“

”

1

2

1.

2.



1

2

3

2

24

027-83267669

24

48

4