






HZCS-11





()

45H 55Hz

●

●

●

●



赫兹电力
HERTZ POWER

220V

380V

30A

1

45Hz

55Hz

225

027-83267669

www.whhezi.com

whhezi@163.com



●

●

●

●

●

●

U


PC




赫兹电力
HERTZ POWER



1		-20 50	RH 80%
2			
3		AC 220V $\pm 10\%$	3KW
4			AC300V
			0.5%
			0.5%
			8A
			45Hz 55Hz
5			0.01 30 μ F
			0.01 400 Ω
			-180 ° +180 °
6			0.0001 μ F
			0.0001 Ω
			0.0001 °
7		$\geq 1\mu$ F	$\pm 1\%$ $\pm 0.01\mu$ F
		1 μ F	$\pm 2\%$ $\pm 0.01\mu$ F
		$\geq 1\Omega$	$\pm 1\%$ $\pm 0.01\Omega$
		1 Ω	$\pm 2\%$ $\pm 0.01\Omega$
		$\pm 0.2^\circ$ (1.0V	
		$\pm 0.3^\circ$ (:0.2V 1.0V)	
8		30A	
9		10KV	
10		550 L $\times$ 430 W $\times$ 530 H	
11		200 U	
12		67 Kg	



3-1



- 1
- 2 USB
- 3
- 4
- 5
- 6 AC220V
- 7
- 8
- 9
- 3.1

3—1—1



3.2 USB




3.3




3.4




3.5



3.6



3.7



3.8

3—1—8

“ ”

55mm

3.9

3—1—9


4.1

1



AC220V

4—



4—1



4.2

4—2

12

0-9

< >

保存

退出

线路长度设置:

010.000 Km

0

1

2

3

4

5

6

7

8

9

4.3

4—1

4—2

4—3

退出

启动

正序电容测试:

4—3

4—4

10

225

027-83267669



感应电压测试：

	A	B	C
感应电压：	0.000V	0.000V	0.000V
感应电流：	0.000mA	0.000mA	0.000mA

退出

09%

停止

200

4

200

4

45Hz

45Hz

55Hz

55Hz

4—5

4—8

4—6

4—9

4—7

4—10

4—4

4—5

4—6

正序测试... 电源启动 45Hz 75.0%

	A	B	C
测试电压：	215.664V	212.350V	214.850V
测试电流：	68.341mA	68.600mA	68.923mA
测试角度：	-89.945°	-89.841°	-89.804°

退出

46%

停止

4—5



4—6

测试日期/时间:2018-10-20/08:33:02

测试结果:

Z1: $2.8178e+03\Omega$	V: 214.332V
R1: $5.0258e+00\Omega$	I: 76.063mA
X1: $-2.8178e+03\Omega$	Φ : -89.898°
Y1: $3.5488e-04S$	Km: 10.000
G1: $6.3296e-07S$	
B1: $-3.5488e-05S$	C1: 112.963n
B1/Km: $-3.5488e-05S$	C1/Km: 112.963n

退出 打印 数据 结果



正序测试... 电源启动 55Hz 35.9%

	A	B	C
测试电压:	3.566V	3.551V	3.580V
测试电流:	3.975A	3.971A	3.972A
测试角度:	0.720°	0.743°	0.755°

退出

87%

停止

测试日期/时间:2018-10-20/08:49:09

测试结果:

Z1: 896.689mΩ	V: 3.569V
R1: 896.633mΩ	I: 3.980A
X1: 9.966mΩ	Φ: 0.637°
L1: 31.722uH	Km: 10.000
Z1/Km: 89.663mΩ	
R1/Km: 89.663mΩ	
X1/Km: 0.997mΩ	
L1/Km: 3.172uH	

退出

打印

数据

结果

4—9

Z1 V :
R1 I :
X1 Φ :
L1 Km:
Z1 Km
R1 Km
X1 Km
L1 Km

4—10

B

4.4

“ ”

4—11 4



时间设置：

2018 - 10 - 20 00:00:18



保存

退出

4—11

4.5

“

”

4—12

“

”

4—13

数据查询

U 盘备份

退 出

113 records

4—12



日期	时间	长度	项目
00	2018-10-20 10:28	10.0	Z0
01	2018-10-20 10:24	10.0	Z1
02	2018-10-20 10:19	10.0	Z1
03	2018-10-20 10:13	10.0	Z1
04	2018-10-20 10:06	10.0	C1
05	2018-10-20 09:59	10.0	C0
06	2018-10-20 09:47	10.0	Zm
07	2018-10-20 09:41	10.0	C1
08	2018-10-20 09:33	10.0	C0
09			

4—13

U

“ ”

U

4—14

USB

4—12

“ U ”

U

4—14

U

U

“

”

U

U

TXT



4—14


4.

“

”


4—1






5—1

5.2



5—2


5.3



5—3




5.4




5—4

5.5



5—5

5.6



5—6

A

Ω		Ω	
----------	--	----------	--

UA	UB	UC	IA	IB	IC

	:	:		
KM +j				
	Ω	Ω	Ω	H



KM				
KM +j				
	Ω	Ω	Ω	H
KM				
KM +j				
	Ω	Ω	Ω	μF
KM				
KM +j				
	Ω	Ω	Ω	μF
KM				

B

1		1
2		1
3		1
4		1
5	AC220V	1
6		1
7		1
8		1



1

2

1.

2.

1

2

3

2

24

027-83267669

24

48

4

225

027-83267669