

赫兹电力
HERTZ POWER

HZJB-660C

1		4
2		4
3		5
3.1		5
3.2		5
3.3		5
3.4		5
4		6
4.1		6
4.2		6
5		7
5.1		7
5.2		8
6		9
6.1		9
6.2		9
6.3		10
6.3.1		10
6.3.2		11
6.3.3		13
6.3.4		14
6.3.5		16
6.3.6		16
6.4		16
6.4.1		16
6.4.2		17
7		17
7.1		17
7.2		18
7.3		19
7.4		19
8		20

MOA

2.1	DSP	ARM
2.2		
2.3		
2.4	5.7	320 × 240
2.5		
	B	PT
2.6		
2.7		PT
2.8	PT	
2.9		128 × 64 OLED
	3	5 7
		PT
2.10		
2.11		220V
2.12		8
2.13		
2.14		
2.15		100

3.1

3.1.1	25V	250V	50Hz/60Hz
3.1.2	±	× 5%+0.5V	
3.1.3	±	× 10%	
3.1.4	≥	1500kΩ	

3.2

3.2.1	0	20mA	50Hz/60Hz
3.2.2	±	× 5%+5uA	Å
3.2.3	0	,	m "

- .2 4
- .3 8 8
- .4 20mm() × 270mm() × 150mm()
- .5 2kg
- 3.4.6 115mm() × 120mm() × 65mm()
- 3.4.7 0.6kg ()
- 3.4.8 -10 50
- 3.4.9 90%

4.1

1

U1 .1

lx1p * # ~ +e p



A

“ ”

1a

lc la

A C

0°

3

A

B

C

A

B

C

A





赫兹电力
HERTZ POWER

产品宗旨：技术领先，质量可靠，轻便易用

服务宗旨：快速响应，达到满意，超过期望

赫兹电力
HERTZ POWER



5.2.3

“ ↑ ↓ ”

“

”

“ → ”

“

”

“ → ”

5.2.4

128 × 64

OLED

5.2.5

5.2.6

5.2.7

5.2.8

A

B

C

A

B

C

AB

CB

A

PT

B

A

PT

A

“ A-B ”

A

PT

C

“ C-B ”

120mA

5.2.9

“ 7 ”

PT

6.1

6.2

（
）
（ ）

6.3

6



“ ”

7

6.3.1

“ ” 7


“ ” “ ”





6.3.2

8



8

ABC A B C A-B C-B

B

ABC

A B C



A-B C-B PT B A B C B
ABC A

I-U PT “ ” “ I-U ”

ABC A B C

ABC ABC

A B C A

“ ” “ ” “ ”
“ ” 0 °

	A	B	C
ABC	0 °	0 °	0 °
A	0 °	120 °	240 °
B	240 °	0 °	120 °
C	120 °	240 °	0 °
A-B	30 °	150 °	270 °
C-B	90 °	210 °	330 °

“ ” A B C ± 360.00 °

“ ” “ 4.2 ”

80 ° 1 ° 81 °

A B C

● P T

PT

PT

“

”

“

”

“

”

“

”

PT

PT


PT

●


“

”


6.3.3




9



10



11



12

“

”

“

”

9

10

11

12

13



13



“

”

“

”

“

”

“

”

“

”

6.3.4

•

•

Φa-b Φb-c Φc-a

• Ux

3 5 7

$$U_x = \sqrt{U_1^2 + U_3^2 + U_5^2 + U_7^2}$$

Ex

KV/m

K/m

• U1

E1

• U3 U5 U7 3 5 7

E3 E5 E7

- Ix 3 5 7
- Ixp Ix
- Ir 3 5 7
- Irp Ir
- Ir1p
- Ic1p
- Ir3p Ir5p Ir7p 3 5 7

Φ 90 ° Ir1p 180 ° Ic1p
Ix Ic1p Ixp

- P1
- Cx

$$C_x = \frac{I_{c1}}{2 \pi f U_1}$$

Ic1
f
U1


U1=1000V
KV

uK uFKV nK nFKV

- Φ Φ

Φ	0 74.99 °	75 76.99 °	77 79.99 °	80 82.99 °	83 87.99 °	≥ 88 °
---	-----------	------------	------------	------------	------------	--------

:





6.3.5

14

15

14

“ 001/003 ”

100

“ ← → ”

6.3.6

15

“ ← → ”

“ ”


“ ”

“ ↑ ↓ ”

6.4

16

“ ”



16

17

6.4.1

17

-
-
-
-

A



“ → ”

3 5 7

“ ↑ ↓ ”

1V

6.4.2

“ → ” “ ” “ ” “ ” “ 1. ”
“ 2. ” “ 2. ” “ ” “ ↑ ↓ ” “ → ”
“ 2. ” “ 1. ” “ ” “ ” “ → ”
“ ↑ ↓ ” “ ” “ 888888 ”
“ → ”

7.1

7.1.1

7.1.2

A

A B C

7.1.3

A

A

B C

120mA

PT

7.1.4


B

B


7.1.5

PT

7.2



7.3



19

19


7.4

B

A C

B

20



20



8.1

8.2

8.3

8.4

8.4.1

8.4.2

8.4.3

“

”

“

”

1

2

1.

2.



1

2

3

ᄁ

36 ij

Y